

logo not found or type unknown

Firma: Laptop Centar d.o.o.  
Adresa: Maglajska 11  
Telefon: 011/635-1212  
Fax: 0116351212  
PIB: 105777840  
E-mail: prodaja@laptopcentar.co.rs

Philips 50" Q-Line; 187, 4K UHD,  
basic failover, USB auto play, CMND  
&Control, Smart Player, LAN ( 50BDL3511Q00 )

Šifra: 53620  
Kategorija proizvoda: Monitori i oprema  
Proizvođač: Philips



Cena: **126.848,00** din.

Display Type:

LCD  
TFT Active Matrix  
50"  
49.5"

VA  
Dot Pitch  
0.2854 mm  
1.07B  
3840x2160

Display Technology:

Diagonal Length:  
Viewable Display Diagonal  
Length  
Type of Matrix:

Pitch Type:  
Pitch Width:  
Color Support:  
Maximum Resolution:  
Maximum Video Refresh Rate @

Max. Resolution:

60 Hz

400 cdm<sup>2</sup>

500 000 : 1

4 000 : 1

178 °

178 °

8 ms

16:9

Ultra HD

Integrated

Stereo

10 W

20 W

1 (DVI-D)

2 (HDMI (Type A))

2 (USB 2.0 (type A))

2 (3.5-mm minijack)

1 (RS-232)

1 (RJ-45)

1 (3.5-mm minijack)

Power Adapter

60 Hz

240 V

50 Hz

100 V

130 W

175 W

0.5 W

Power Cord

Remote Control, Batteries, Quick Start Guide

Wallmount

400x400mm

VESA FDMI

40 °C

0 °C

60 °C

-20 °C

80 %

20 %

95 %

Image Brightness:

Dynamic Contrast Ratio:

Image Contrast:

Image Max. H-View Angle:

Image Max. V-View Angle:

Response Time:

Image Aspect Ratio:

Display Features:

Speaker Form Factor:

Audio Output Mode:

Output Power per Channel:

Output Power:

DVI:

HDMI:

USB 2.0:

Audio Interface:

Serial:

LAN:

Infrared:

Power Device Type:

Maximum Input Frequency:

Maximum Input Voltage:

Minimum Input Frequency:

Minimum Input Voltage:

Power Consumption Operational:

Maximum Power Consumption:

Power Consumption Stand

By Sleep

Included Accessories:

Mounting Capability:

Flat Display Mounting Interface:

Monitor Compliant Standards:

Maximum Operating Ambient

Temperature:

Minimum Operating Ambient

Temperature:

Maximum Non-Operating

Ambient Temperature:

Minimum Non-Operating

Ambient Temperature:

Maximum Operating Humidity:

Minimum Operating Humidity:

Maximum Non-Operating

Humidity:

Minimum Non-Operating

Humidity:

5 %

3000 m

63.5 mm

649 mm

1128.4 mm

14.75 kg

Yes

36 month(s)

Serial Number

16 kg

15 kg

1

16 kg

0.5 kg

0.5 kg

1

Box

Max. Altitude Operating:

Depth (mm):

Height (mm):

Width (mm):

Nominal Weight:

Warranty Products Returnable:

Warranty Term (month):

Warranty validation Criteria:

Pack Weight Brutto (kg):

Pack Weight Netto (kg):

Pieces in pack:

Box Weight Brutto (kg):

Retail Packaging Net Weight

Carton  
Retail Packaging Net Weight

Plastic:

Packs in Box:

Package Type: